

Product Catalog



ABOUT LIONS FLOOR

At Lions Floor, we believe flooring is more than just the surface you walk on — it's the foundation of your home's story. From family gatherings to quiet mornings, your floors set the stage for life's most meaningful moments. That's why we create flooring that's as stylish as it is durable, combining natural beauty with performance you can count on.

Designed for Living

Our collections feature authentic wood-inspired designs that look and feel like real hardwood. With advanced technology, every plank is waterproof, scratch-resistant, and made to stand up to the demands of everyday life — pets, kids, spills, and all.

"Our vision is to be the most trusted flooring brand in America, delivering authentic design and uncompromising quality that transform everyday spaces into places of pride, comfort, and style."



— Jerry Guo, President, Lions Floor

Quality You Can Trust

Behind the scenes, we control every detail. From carefully crafted visuals to strict quality testing, we make sure every product lives up to our promise of dependable performance. When you choose Lions Floor, you're choosing flooring designed to last — giving you peace of mind with every step.

Why Choose Lions Floor?

- Timeless, realistic designs inspired by nature.
- Flooring that balances beauty with durability.
- Reliable inventory, so you never have to wait.
- A team that believes in service as much as style.

Lions Floor — Crafted for style. Built for life.

CONTENTS

SPC

- 06 BevelMark
- 10 Lions Reservation
- 14 Indoor Delight
- 18 Lone Star Spirit
- 22 Lone Star Spirit XL
- 26 Trenta
- 26 Natural Essence Plus
- 30 Bambino

WPC

- 36 Ocean Crest
- 40 Canyon Coast

LAMINATE

- 46 Haven Heights
- 50 Comfort Heights

LOOSE LAY

- 56 FormaLay

LVP

- 62 District
- 62 District Pro
- 62 District Max

RESOURCES

- 68 Trims and Mouldings
- 70 Room Visualizer
- 70 Compare our Flooring
- 72 Underlayments
- 73 Adhesive

Tested. Certified. Trusted.

All Lions Floor products are FloorScore® certified and tested in industry-approved, third-party laboratories for compliance with applicable performance, safety, and indoor air quality standards.

Designed with the Environment in Mind

Lions Floor is committed to responsible sourcing and manufacturing practices. Our products are designed with sustainability in mind and are made using materials that help reduce reliance on natural hardwood resources—without compromising beauty, performance, or durability.

ONE COLOR.

With Lions Floor, your favorite colors are available across multiple flooring types, including SPC, laminate, loose lay and flexible LVP. This allows you to maintain a perfectly consistent look while choosing the ideal flooring solution for each room.

CHART READS HORIZONTALLY 

SPC		Laminate
Indoor Delight LI-ID01 Country Breeze		Comfort Heights LI-CH01 Village Park
Indoor Delight LI-ID02 Castle Forge		Comfort Heights LI-CH02 Baywood Place
Indoor Delight LI-ID14 Homewood Waltz	Bambino BB-XVII Vienna Toast	Comfort Heights LI-CH05 Camden Ridge
Lone Star Spirit XL LI-TS202 Backyard Garnish		Comfort Heights LI-CH06 Huntington Gardens
Lone Star Spirit XL LI-TS207 Sea Shell		Comfort Heights LI-CH07 Country Aura
Lone Star Spirit LI-TS106V2 Saddle Brownie		Comfort Heights LI-CH08 City Pointe
Bambino BB-V Damier		
Bambino BB-XII Naples Parfum		
Bambino BB-XIV Cliffside Oak		
Bambino BB-XV Biscotti Oak	BevelMark LI-BM07 Joiner's Path	
Bambino BB-XVI Sienna Timber	BevelMark LI-BM06 Millwork Maple	
Bambino BB-XVIII Truffle Grove	BevelMark LI-BM10 Artisan's Trace	
Lions Reservation LI-LR01 Savanna Gold		
Lions Reservation LI-LR05 Morning Mirage		

MULTIPLE FLOORING SOLUTIONS.

Enjoy complete design continuity throughout your project while selecting the performance, installation style, and budget that works best — all without compromising on color.

→ CHART READS HORIZONTALLY

	Loose Lay	LVP (2 mm / 6 mil)	LVP (2 mm / 12 mil)	LVP (2.5 mm / 20 mil)
		District LI-DT01 Billings	District PRO LI-DP01 Marquee	District MAX LI-DM01 Atherton
		District LI-DT05 Brighton	District PRO LI-DP05 Sun Valley	District MAX LI-DM05 Overland Park
		District LI-DT06 Ardmore	District PRO LI-DP06 Westgate	District MAX LI-DM06 Greenwich
		District LI-DT07 Carmel	District PRO LI-DP07 East Aspen	District MAX LI-DM07 Naperville
		District LI-DT08 Clayton	District PRO LI-DP08 Capitol Hill	District MAX LI-DM08 Winnetka
		District LI-DT09 Bellevue	District PRO LI-DP09 Plano	District MAX LI-DM09 Westport
		District LI-DT11 Arlington	District PRO LI-DP11 Murrieta	District MAX LI-DM11 Belvedere
		District LI-DT12 Westfield	District PRO LI-DP12 Roseville	District MAX LI-DM12 Truckee
	FormaLay LI-FL03 Parallax Drift			
	FormaLay LI-FL08 StrataView			

SPC

STONE POLYMER COMPOSITE

SPC (Stone Polymer Composite) is a next-generation rigid-core vinyl flooring that mixes the beauty of wood with rock-solid performance. Its dense, stone-reinforced core makes it incredibly stable, waterproof, and durable — perfect for high-traffic rooms like kitchens, living areas, and entryways. SPC also provides a realistic wood-look texture with added comfort and sound control underfoot.

See page 3 for a cross reference color chart that features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and laminate.

MOULDINGS

Seamlessly blend together our high-performing flooring products with the desired trim to create the desired aesthetic. Our mouldings coordinate with all our collections and respected colors.



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Stair Tread

Available for select collections.



BevelMark™

BevelMark™ celebrates the craft of precision. Every plank in this collection features a meticulously engineered pressed bevel, creating a refined shadow line that elevates the realism, depth, and architectural character of each floor. Inspired by the marks of true artisans — the subtle cuts, grooves, and finishing touches that define quality — BevelMark™ delivers a modern flooring experience built on detail, durability, and elevated design.

Crafted for today's residential and commercial spaces, BevelMark™ blends the durability of SPC with high-definition textures and a unique 30-repeat pattern lineup that mirrors natural hardwood with stunning authenticity. This is where performance meets precision — and where every edge tells a story.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Premium Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Pressed Bevel (Pillowed)
Total Thickness	8 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	30
Core Thickness	6.5 mm	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	6 pieces	26.92	56
Pallet	40 boxes	1,076.70	2,343
Container	720 boxes	19,380.66	42,169





LI-BM01 Carver's Line



LI-BM02 Shadow Reveal



LI-BM03 Craftsman Ridge



LI-BM04 Profile Edge



LI-BM05 Sculpted Notch




LI-BM06 Millwork Maple




LI-BM07 Joiner's Path



LI-BM08 Chiselmark Oak



LI-BM09 Contour Grove



LI-BM10 Artisan's Trace



LI-BM09 Contour Grove



LI-BM01 Carver's Line



LI-BM03 Craftsman Ridge




LI-BM08 Chiselmark Oak



LI-BM07 Joiner's Path



LI-BM06 Millwork Maple



LI-BM10 Artisan's Trace



LI-BM02 Shadow Reveal



LI-BM04 Profile Edge



LI-BM05 Sculpted Notch

Lions Reservation™

Step into a world where nature's most expansive landscapes meet modern craftsmanship. The Lions Reservation™ Collection is inspired by the raw beauty of open plains, sunlit horizons, and wind-shaped terrain. Each plank carries the warmth, texture, and grounded character of untouched natural environments—designed to bring a sense of vastness, calm, and enduring strength into any space.

With authentic wood visuals, soft tonal transitions, and a resilient SPC core built for everyday living, this collection offers a refined balance of beauty and dependability. Lions Reservation™ transforms interiors into grounded retreats—where natural harmony and contemporary durability come together effortlessly.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Premium Acoustic Padding
Plank Size	7" × 60"	Edge Profile	Painted Bevel
Total Thickness	6 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	10
Core Thickness	4.5 mm	Texture/Style	Wood Grain Embossed Surface
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	8 pieces	23.88	46
Pallet	50 boxes	1,194.24	2,423
Container	1,050 boxes	25,078.95	50,884






LI-LR01 Savanna Gold




LI-LR02 Endless Plains



LI-LR03 Tallgrass Drift



LI-LR04 Suncrest Plateau



LI-LR05 Morning Mirage



LI-LR06 Migration Path



LI-LR05 Morning Mirage



LI-LR06 Migration Path



LI-LR04 Suncrest Plateau



LI-LR02 Endless Plains



LI-LR03 Tallgrass Drift



LI-LR01 Savanna Gold

Indoor Delight™

Indoor Delight™ offers sophisticated European oak designs using the latest EIR embossing technology with 10 repeats on film designs, delivering a premium look of rich and vivid floor in on-trend 9" x 72" planks. Its exclusive designs are unique and only available at Lions Floor, ensuring customers protection from competitors, while making flooring projects truly "limited edition". Indoor Delight™ is also easy to install, low-maintenance, environmentally friendly, durable, and long-lasting, making it appeal to both homeowners looking for an upgrade on their remodel, as well as builders in mid to high-end new construction.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Premium Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Painted Bevel
Total Thickness	6.5 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	10
Core Thickness	5 mm	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	5 pieces	22.65	55
Pallet	40 boxes	906.10	2,275
Container	960 boxes	21,746	52,800





LI-ID01 Country Breeze



LI-ID02 Castle Forge



LI-ID06 Fortress Dawn



LI-ID07 Forest Timber




LI-ID08 Peacock Flush




LI-ID09 Lotus Clove



LI-ID10 Farmstead




LI-ID11 Tanin Honey



LI-ID12 Shoreline Décor



LI-ID13 Woodland Charm



LI-ID14 Homewood Waltz



LI-ID14 Homewood Waltz



LI-ID02 Castle Forge



LI-ID01 Country Breeze



LI-ID07 Forest Timber



LI-ID06 Fortress Dawn



LI-ID08 Peacock Flush



LI-ID09 Lotus Clove



LI-ID12 Shoreline Decor



LI-ID10 Farmstead



LI-ID11 Tanin Honey



LI-ID13 Woodland Charm

Lone Star Spirit™

Lone Star Spirit™, measuring 6 feet long and 7 inches wide, offers versatile and refined exotic wood-like designs using the latest EIR embossing technology with 10 plank repeats on film designs. Its unique designs are tailor-made for western markets and are only available at Lions Floor. The collection is also waterproof, scratch-resistant, easy-to-install, low maintenance, eco-friendly, durable, and long-lasting, making it perfect for both budget conscious DIY-ers and luxury minded homeowners.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Premium Acoustic Padding
Plank Size	7" x 72"	Edge Profile	Painted Bevel
Total Thickness	6 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	10
Core Thickness	4.5 mm	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	6 pieces	21.27	50
Pallet	60 boxes	1,276.42	3,075
Container	1,080 boxes	22,976	54,000





LI-TS104V2 More Mesa




LI-TS105V2 Chocolat



LI-TS106V2 Saddle Brownie



LI-TS107V2 Skyfall Groove



LI-TS108V2 Odessa Palm



LI-TS105V2 Chocolat



LI-TS106V2 Saddle Brownie



LI-TS104V2 More Mesa



LI-TS107V2 Skyfall Groove



LI-TS108V2 Odessa Palm

Lone Star Spirit XL™

Lone Star Spirit XL™ boasts versatile and refined exotic wood-like designs with the latest Embossed in Register (EIR) technology and planks measuring 6 feet long and 9 inches wide. The collection is also waterproof, scratch-resistant, easy-to-install, low maintenance, eco-friendly, durable and long-lasting, making it perfect for both budget conscious DIY-ers and luxury-minded homeowners.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Premium Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Painted Bevel
Total Thickness	6.5 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	10
Core Thickness	5 mm	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	5 pieces	22.65	55
Pallet	40 boxes	906.10	2,275
Container	960 boxes	21,746	52,800





LI-TS201 Artisan Touch



LI-TS202 Backyard Garnish




LI-TS203 Oak Exotica




LI-TS204 Oak Dry-Aged



LI-TS205 Forgotten Bark



LI-TS207 Sea Shell



LI-TS208 Ballroom Rodeo



LI-TS204 Oak Dry-Aged



LI-TS201 Artisan Touch



LI-TS203 Oak Exotica



LI-TS202 Backyard Garnish



LI-TS207 Sea Shell



LI-TS208 Ballroom Rodeo



LI-TS205 Forgotten Bark

Trenta™

Natural Essence Plus™



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS	Trenta™	Natural Essence Plus™
Material Type	Rigid Core SPC	Rigid Core SPC
Plank Size	9" x 60"	9" x 60"
Total Thickness	6.5 mm	6.5 mm
Wear Layer	20 mil	20 mil
Core Thickness	5 mm	5 mm
Pad Thickness	1.5 mm	1.5 mm
Attached Pad	Premium Acoustic Padding	Premium Acoustic Padding
Installation Type	Floating/Uniclic	Floating/Uniclic
Edge Profile	Painted Bevel	Painted Bevel
Plank Repeat	5	5
Texture/Style	Wood Grain Embossed	Embossed in Register (EIR)
Finish	UV Acrylic	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	6 pieces	22.88	55
Pallet	52 boxes	1,189.52	2,910
Container	936 boxes	21,411	51,480



TRENTA™

The Trenta™ collection replicates the beauty of natural wood with wood grain embossed decorative film on its surface. Its high-standard 20 mil wear layer provides essential scratch resistance, and its rigid core SPC material offers superior stability and a long-lasting lifespan. The Trenta™ collection has attached acoustic padding that works as a sound suppressant and is essential for shock absorption. The planks are made from 100% eco-friendly ingredients and are entirely formaldehyde free.



LI-SP01 Candela Amber



LI-SP02 Bliss




LI-SP03 Crown Pebble

NATURAL ESSENCE PLUS™

Natural Essence Plus™ offers rich, distinct colors and textures with the latest registered embossing technology, featuring intricate hardwood aesthetics and the authentic finishing touch of natural wood. A highly-durable 20 mil wear layer and new virgin white underlayment offers the latest in durability and functionality with regal style. Made from 100% ecological ingredients, Natural Essence Plus™ represents both luxury and supreme craftsmanship with the highest environmentally friendly standards.



LI-NE201 Sequoia




LI-NE207 Evergreen



LI-NE208 Tresor



LI-NE209 Palisade



LI-NE212 Medieval



LI-NE209 Palisade



LI-SP01 Candela Amber



LI-SP03 Crown Pebble



LI-NE212 Medieval



LI-SP02 Bliss



LI-NE201 Sequoia



LI-NE207 Evergreen



LI-NE208 Tresor

BambinoTM

Showcase the look of hardwood with all the performance capabilities of rigid core. Featuring the latest designer colors and sought-after wire-brushed visuals with a painted bevel, BambinoTM consists of an aluminum oxide-treated, 12 mil wear layer, offering added durability against scratches and scuffs, while the SPC core provides improved dent-resistance. An attached pad simplifies installation while providing improved sound reduction, making it an excellent choice for multi-family, residential remodel, or even light commercial.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Premium Acoustic Padding
Plank Size	7" x 48"	Edge Profile	Painted Bevel
Total Thickness	5 mm	Installation Type	Floating/Uniclic
Core Thickness	4 mm	Plank Repeat	5
Wear Layer	12 mil	Texture/Style	Wood Grain Embossed
Pad Thickness	1 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	10 pieces	23.64	40
Pallet	60 boxes	1,418.25	2,450
Container	1,200 boxes	28,365	48,000





BB-I Dolce



BB-II Toy Block



BB-III Ganache



BB-V Damier




BB-VI Coffee Feather




BB-VII Rivoli



BB-VIII Chambery



BB-X Timber Glaze




BB-XII Naples Parfum




BB-XIV Cliffside Oak




BB-XV Biscotti Oak



BB-XVI Sienna Timber



BB-XVII Vienna Toast



BB-XVIII Truffle Grove



BB-I Dolce



BB-XV Biscotti Oak



BB-XVI Sienna Timber



BB-II Toy Block



BB-III Ganache



BB-VII Rivoli



BB-V Damier



BB-VIII Chambery



BB-VI Coffee Feather



BB-XII Naples Parfum



BB-X Timber Glaze



BB-XIV Cliffside Oak



BB-XVIII Truffle Grove



BB-XVII Vienna Toast



LI-OC02 Coral Drift

WPC

WOOD POLYMER COMPOSITE

WPC (Wood Polymer Composite) combines a wood-enhanced core with waterproof vinyl surfaces for a flooring that's both comfortable and tough. The slightly cushioned core adds a bit of softness underfoot, making it a great choice for spaces where comfort matters — like living rooms, bedrooms, and family areas — while delivering 100% waterproof protection for everyday life.

MOULDINGS

Seamlessly blend together our high-performing flooring products with the desired trim to create the desired aesthetic. Our mouldings coordinate with all our collections and respected colors.



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Stair Tread

Available for select collections.

Ocean Crest™

The Ocean Crest™ Collection draws its inspiration from the rising journey of nature itself—beginning at the water’s edge and lifting toward open skies and elevated terrain. Each plank reflects the calm rhythm of the shoreline, the glow of morning light, and the soft movement of wind-shaped landscapes.

Crafted with the warm, cushioned comfort of WPC, Ocean Crest™ offers a quieter, more inviting flooring experience while delivering waterproof durability and authentic woodgrain beauty. Its soothing palette and refined textures bring an effortless sense of calm into any interior, creating spaces that feel open, balanced, and naturally uplifting.

With Ocean Crest™, the serenity of the coast meets the gentle rise of nature—bringing elevated comfort and timeless style into every room.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	WPC	Attached Pad	Premium Acoustic Padding
Plank Size	9" × 60"	Edge Profile	Pressed Bevel (Pillowed)
Total Thickness	8 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	10
Core Thickness	6.5 mm	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	8 pieces	29.90	49
Pallet	52 boxes	1,554.90	2,572
Container	1,092 boxes	32,652.85	54,021






LI-OC01 Tidal Whisper




LI-OC02 Coral Drift




LI-OC03 Harbor Mist



LI-OC04 Morning Tide



LI-OC05 Shoreline Glow



LI-OC06 Summit Drift



LI-OC02 Coral Drift



LI-OC05 Shoreline Glow



LI-OC01 Tidal Whisper



LI-OC06 Summit Drift



LI-OC03 Harbor Mist



LI-OC04 Morning Tide

Canyon CoastTM

Embark on an immersive journey with Lions Floor's Canyon CoastTM Collection, where the essence of mountain landscapes comes to life. This collection is more than just flooring; it's a tribute to the grandeur of nature and the diverse beauty found in the descent from summits to the lush canyons below. Elevate your space with the spirit of adventure and the authenticity of the Canyon CoastTM Collection. Let each plank tell a story of exploration, connecting your living environment with the untamed elegance of the great outdoors.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	WPC	Attached Pad	Premium Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Pressed Bevel (Pillowed)
Total Thickness	10 mm	Installation Type	Floating/Uniclic
Wear Layer	20 mil	Plank Repeat	10
Core Thickness	8 mm	Texture/Style	Embossed in Register (EIR)
Pad Thickness	2 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	7 pieces	30.99	65
Pallet	44 boxes	1,363.56	2,935
Container	924 boxes	28,635	60,060





LI-CC01 Sunset Vista



LI-CC02 Alpine Ambiance



LI-CC03 Everlasting Peaks



LI-CC06 Wilderness Whispers



LI-CC01 Sunset Vista



LI-CC02 Alpine Ambiance



LI-CC06 Wilderness Whispers



LI-CC03 Everlasting Peaks

Laminate Flooring

Laminate flooring gives you the look of real wood at a smart value, using advanced printing and surface technology for rich textures and authentic visuals. It's highly durable, scratch-resistant, and ideal for busy households, holding up to pets, kids, and everyday life. With easy care and timeless style, laminate is a reliable choice for living spaces where both looks and long-lasting performance matter.

See page 3 for a cross reference color chart that features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and laminate.

MOULDINGS

Seamlessly blend together our high-performing flooring products with the desired trim to create the desired aesthetic. Our mouldings coordinate with all our collections and respected colors.



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Haven HeightsTM

Discover the perfect blend of beauty and practicality with Haven Heights, a laminate collection designed for the homes that embrace life's everyday moments—from laughter in the living room to quiet mornings and warm family dinners. Rooted in the character of real neighborhoods and residential communities, each name in the collection reflects a familiar place where comfort and simplicity come together.

Haven Heights offers a palette that feels personal, welcoming, and effortlessly livable. Welcome home to Haven Heights—**style that lives with you.**



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Laminate	Attached Pad	Premium Acoustic Padding
Plank Size	9.33" x 60"	Edge Profile	Painted Bevel
Total Thickness	10 mm	Installation Type	Floating/Uniclic
Wear Layer	AC3	Plank Repeat	10
Core Thickness	8 mm	Texture/Style	Wood Grain Embossed
Pad Thickness	2 mm	Finish	UV Aluminum Oxide

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	8 pieces	30.92	45.19
Pallet	44 boxes	1,360.43	2,094
Container	1,144 boxes	35,371.27	54,454





LI-HH01 Harbor Court



LI-HH02 Cedar Fields



LI-HH03 Pinecrest Walk




LI-HH04 Oakview Place




LI-HH05 Elm Terrace




LI-HH06 Harlow Commons




LI-HH07 Laurel Court



LI-HH08 Parkside Lane



LI-HH09 Larkspur Place



LI-HH10 Rosewood Way



LI-HH01 Harbor Court



LI-HH03 Pinecrest Walk



LI-HH06 Harlow Commons




LI-HH10 Rosewood Way



LI-HH02 Cedar Fields



LI-HH09 Larkspur Place



LI-HH05 Elm Terrace



LI-HH07 Laurel Court



LI-HH04 Oakview Place



LI-HH08 Parkside Lane

Comfort Heights™

Lions Floor Comfort Heights collection aims to take home décor to the next level. The large profile plank resembles the authentic and timeless charm of hardwood. The Embossed in Register (EIR), yet matte finish, is a vivid expression of nature. Proven to be waterproof with a painted bevel, waxed joints and AC4 level scratch-resistance, Comfort Heights high density core delivers beauty, durability, and performance that suits any décor.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHTHALATE
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Laminate	Installation Type	Floating/Uniclic
Plank Size	9.25" × 60"	Plank Repeat	10
Total Thickness	12 mm	Texture/Style	Embossed in Register (EIR)
Wear Layer	AC4	Finish	UV Aluminum Oxide
Edge Profile	Painted Bevel	High Density Core	

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	5 pieces	19.16	47
Pallet	56 boxes	1,073.02	2,707
Container	1,176 boxes	22,533	55,272





LI-CH01 Village Park




LI-CH02 Baywood Place



LI-CH05 Camden Ridge



LI-CH06 Huntington Gardens




LI-CH07 Country Aura



LI-CH08 City Pointe




LI-CH09 Pine Ridge



LI-CH10 Cedar View



LI-CH13 River Walk



LI-CH14 Maple Gardens



LI-CH01 Village Park



LI-CH08 City Pointe



LI-CH05 Camden Ridge



LI-CH06 Huntington Gardens



LI-CH14 Maple Gardens



LI-CH09 Pine Ridge



LI-CH13 River Walk



LI-CH07 Country Aura



LI-CH10 Cedar View



LI-CH02 Baywood Place

Loose Lay

VINYL FLOORING

Loose Lay vinyl flooring is designed for fast, easy installation and effortless updates. Its heavy, flexible planks grip the subfloor without the need for full glue-down or locking systems, making it ideal for quick renovations and high-traffic spaces.

With a waterproof construction and durable wear layer, Loose Lay stands up to spills, pets, and daily life while delivering the realistic look of natural wood. It's a smart, modern solution for homes and commercial spaces that demand both style and speed.





FormaLay™

FormaLay™ was created for the spaces where design and practicality must live in perfect balance. Inspired by the idea that great interiors are formed—not forced—the collection blends architectural beauty with the effortless installation Loose Lay is known for. Its textured wood grain embossed surface brings natural dimension to every plank, while the 9x60” format delivers a modern, elongated visual that elevates both residential and commercial environments.

Built for fast renovations, adaptive spaces, and high-traffic settings, FormaLay™ offers the flexibility to install, update, or replace planks with ease. Its 5mm construction provides exceptional comfort underfoot, while the 20mil wear layer ensures long-term resilience. Whether refreshing a multifamily unit, modernizing an office, or transforming a retail space, FormaLay™ gives you the freedom to shape the environment without compromise.



**WATER
PROOF**



**INDENT
RESISTANT**



**PET
FRIENDLY**



**SOUND
TESTED**



**PHthalate
FREE**



**FORMALDEHYDE
FREE**

SPECIFICATIONS

Material Type	Loose Lay	Edge Profile	Micro Bevel
Plank Size	9" × 60"	Installation Type	Floating/Glue-Down
Total Thickness	5 mm	Plank Repeat	10
Wear Layer	20 mil	Texture/Style	Wood Grain Embossed
Attached Pad	No	Finish	UV Aluminum Oxide

PACKAGING	Quantity	Sq.ft.	Lbs.
Box	6 pieces	22.50	43
Pallet	52 boxes	1,170.01	2,269
Container	1,092 boxes	24,570.20	47,652





LI-FL01 Radius Mark




LI-FL02 SpanCraft




LI-FL03 Parallax Drift




LI-FL04 FrameLine




LI-FL05 Contour Flex




LI-FL06 Linear Axis




LI-FL07 Apex Form



LI-FL08 StrataView



LI-FL09 Quantum Trace



LI-FL10 Dimension Drift



LI-FL09 Quantum Trace



LI-FL03 Parallax Drift



LI-FL02 SpanCraft




LI-FL08 StrataView



LI-FL01 Radius Mark



LI-FL07 Apex Form



LI-FL05 Contour Flex



LI-FL04 FrameLine



LI-FL10 Dimension Drift



LI-FL06 Linear Axis



LI-DT07 Carmel | LI-DP07 East Aspen | LI-DM07 Naperville



LVP

LUXURY VINYL PLANK

Luxury Vinyl Plank (LVP) delivers classic hardwood style with a waterproof twist. Built with a resilient vinyl structure, LVP stands up to spills, moisture, pets, and everyday wear while remaining easy to clean and maintain. Its versatile design replicates real wood grain and color depth, giving you stylish floors that perform beautifully in busy homes — all at a friendly price point.

See page 3 for a cross reference color chart that features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and laminate.

DistrictTM 2 mm 6 mil

District ProTM 2 mm 12 mil

District MaxTM 2.5 mm 20 mil



WATER
PROOF



INDENT
RESISTANT



PET
FRIENDLY



SOUND
TESTED



PHTHALATE
FREE



FORMALDEHYDE
FREE

Lions Floor DistrictTM, District ProTM, and District MaxTM collections were created with exclusive patterns topped with intricate wood grain embossed surfaces to coordinate with various design options. Featuring a fiberglass-reinforced structure, the product delivers dimensional stability that yields high traffic tolerance. These LVP collections are an embodiment of timeless aesthetics and performance-driven functionality.



SPECIFICATIONS	District™	District PRO™	District MAX™
Material Type	LVP	LVP	LVP
Structure	Fiberglass-Reinforced	Fiberglass-Reinforced	Fiberglass-Reinforced
Plank Size	7.25" × 48"	7.25" × 48"	7.25" × 48"
Total Thickness	2 mm	2 mm	2.5 mm
Wear Layer	6 mil	12 mil	20 mil
Installation Type	Glue Down	Glue Down	Glue Down
Edge Profile	Square Edge	Square Edge	Square Edge
Plank Repeat	10	10	10
Texture/Style	Wood Grain Embossed	Wood Grain Embossed	Wood Grain Embossed
Finish	UV Aluminum Oxide	UV Aluminum Oxide	UV Aluminum Oxide
Limited Warranty	15 years Residential	15 years Residential	20 years Residential
	7 years Light Commercial	10 years Light Commercial	10 years Commercial

PACKAGING		District™	District PRO™	District MAX™
Per Box	Pieces	20 pieces	20 pieces	15 pieces
	Sq.ft.	48.33	48.33	36.24
	Lbs.	45	40	40
Per Pallet	Boxes	60 boxes	60 boxes	60 boxes
	Sq.ft.	2,899.54	2,899.54	2,174.65
	Lbs.	2,750	2,450	2,450
Per Container	Boxes	1,140 boxes	1,140 boxes	1,200 boxes
	Sq.ft.	55,091	55,091	43,493
	Lbs.	51,300	45,600	48,000



LI-DT01 Billings
LI-DP01 Marquee
LI-DM01 Atherton



LI-DT03 Los Alamos
LI-DP03 West Chelsea
LI-DM03 Hillsborough



LI-DT04 Brentwood
LI-DP04 Midtown East
LI-DM04 Weston



LI-DT05 Brighton
LI-DP05 Sun Valley
LI-DM05 Overland Park



LI-DT06 Ardmore
LI-DP06 Westgate
LI-DM06 Greenwich



LI-DT07 Carmel
LI-DP07 East Aspen
LI-DM07 Naperville



LI-DT08 Clayton
LI-DP08 Capitol Hill
LI-DM08 Winnetka



LI-DT09 Bellevue
LI-DP09 Plano
LI-DM09 Westport



LI-DT11 Arlington
LI-DP11 Murrieta
LI-DM11 Belvedere



LI-DT12 Westfield
LI-DP12 Roseville
LI-DM12 Truckee



LI-DT01 Billings
LI-DP01 Marquee
LI-DM01 Atherton



LI-DT05 Brighton
LI-DP05 Sun Valley
LI-DM05 Overland Park



LI-DT11 Arlington
LI-DP11 Murrieta
LI-DM11 Belvedere



LI-DT07 Carmel
LI-DP07 East Aspen
LI-DM07 Naperville



LI-DT03 Los Alamos
LI-DP03 West Chelsea
LI-DM03 Hillsborough



LI-DT08 Clayton
LI-DP08 Capitol Hill
LI-DM08 Winnetka



LI-DT04 Brentwood
LI-DP04 Midtown East
LI-DM04 Weston



LI-DT09 Bellevue
LI-DP09 Plano
LI-DM09 Westport



LI-DT12 Westfield
LI-DP12 Roseville
LI-DM12 Truckee



LI-DT06 Ardmore
LI-DP06 Westgate
LI-DM06 Greenwich

TRIMS AND MOULDINGS



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



Stair Tread (Round)

Available for select collections.



Stair Tread (Square)

Available for BevelMark™ and Ocean Crest™ collections.

It's not an afterthought...complete your flooring installation with Lions Floor mouldings.

- We stock our trims/mouldings to arrive with your flooring.
- Seamlessly blend together our high-performing flooring products with the applicable trim to create the desired aesthetic.
- Most mouldings coordinate with all our SPC, WPC, and laminate collections.
- Each moulding measures 94.5" length. Stair tread measures 48" length.

THE ULTIMATE FLOORING VISUALIZER

Get Started!



roomvo

Meet Roomvo, the fast and easy room visualizer

Leave nothing to the imagination. With Roomvo, you can see our products in your home before you buy. Simply upload your photo to see your room come to life!


Why Roomvo?

Roomvo and its cutting-edge technology help to eliminate the guesswork commonly associated with purchasing new flooring.

Roomvo will allow you to see whatever product you want in whatever room you want it in with just a few simple clicks. Shop more confidently with Roomvo.

Upload your photo to see your room come to life!

Take advantage of our visualization tools to see our flooring styles in your own home.



COMPARE OUR FLOORING

Choosing the right flooring comes down to how you live, what you love, and where the floor will be installed. Whether you need something for busy households, durable for pets and kids, or simply beautiful to enhance your space, Lions Floor offers a solution designed to fit your lifestyle.

All of our flooring options are crafted to deliver realistic wood visuals, lasting durability, and easy maintenance. From enhanced comfort underfoot to superior resistance against scratches, dents, and everyday wear. We encourage you to explore the differences, take home samples, and choose the floor that best fits your home, your needs, and your personal style.



CHARACTERISTIC

Core Material

Thickness

Appearance

Stability and Rigidity

Durability

Moisture Resistance

Sound Insulation

Heat Retention

Use in High-Traffic Areas

Repairability

Suitable for Commercial Use

Scratch Resistance

Indentation Resistance

Installation Method

Subfloor Tolerance

Comfort Underfoot

Pet Friendly

	RIGID CORE SPC	GLUE DOWN LVP	LAMINATE	WPC	LOOSE LAY
	Stone Polymer Composite (SPC)	Flexible PVC with fiberglass reinforcement	High-density fiberboard (HDF)	Wood Polymer Composite (WPC)	Flexible PVC with fiberglass reinforcement and high-friction backing
	Varies between 5–8mm total thickness, depending on collection	2 or 2.5mm thick, depending on collection	10 or 12mm thick, depending on collection	8 or 10mm thick, depending on collection	5mm thick
	Highly realistic wood visuals with embossed texture	Highly realistic wood visuals with embossed texture	Highly realistic wood visuals with embossed texture	Highly realistic wood visuals with embossed texture	Highly realistic wood or stone visuals
	Extremely rigid and dimensionally stable	Flexible but dimensionally stable when glued	Stable with proper acclimation	Stable with slight flexibility for comfort	Highly stable due to weight and friction backing
	Extremely durable and impact-resistant	Durable and ideal for commercial use	Highly durable and comfortable	Highly durable and comfortable	Extremely durable and ideal for commercial use
	100% waterproof	100% topical waterproof	100% topical waterproof	100% waterproof	100% waterproof
	Good with attached pad	Moderate, depends on adhesive and subfloor	Moderate with underlayment	Excellent due to thicker core	Moderate to good due to dense backing
	Retains heat	Moderate	Moderate	Warmer underfoot	Moderate
	Excellent	Excellent (commercial grade)	Good (residential/light commercial)	Excellent	Excellent (commercial environments)
	Individual planks replaceable	Individual planks replaceable	Individual planks replaceable	Individual planks replaceable	Very easy plank replacement
	Light to heavy commercial	Light to heavy commercial	Light commercial only	Light to moderate commercial	Moderate to heavy commercial
	Excellent (depends on wear layer)	Excellent (depends on wear layer)	Excellent (depends on wear layer)	Excellent (depends on wear layer)	Excellent (depends on wear layer)
	Excellent	Good	Good	Good	Excellent due to dense construction
	Floating click-lock	Full spread glue-down	Floating click-lock	Floating click-lock	Loose lay perimeter glue optional
	Moderate	Low tolerance — requires smooth subfloor	Moderate	Higher tolerance than SPC	Excellent tolerance due to flexibility
	Firm	Firm	Moderate	Feels soft and comfortable	Comfortable with slight flexibility
	Excellent — waterproof, highly scratch and stain resistant, ideal for pets	Excellent — waterproof, highly scratch and stain resistant, ideal for pets	Excellent — waterproof, highly scratch and stain resistant, ideal for pets	Excellent — waterproof, highly scratch and stain resistant, ideal for pets	Excellent — waterproof, highly scratch and stain resistant, ideal for pets

UNDERLAYMENT

For best results when installing your floating floor, we recommend Lions Floor Premium Moisture/Vapor Barrier Underlayment. Protect your home with a moisture barrier that impedes growth of mold and mildew, and ensure a secure, lasting installation with the perfect adhesive.

SPC/WPC MOISTURE BARRIER UNDERLAYMENT




SKU: UL-MB6
MOISTURE/VAPOR BARRIER
UNDERLAYMENT

Material	Polyethylene Film
Thickness	6 mil
Roll Weight	14.5 lbs.
Sq.ft. per Roll	500 sq.ft.
Rolls per Pallet	100 rolls/pallet
Dimensions	125 ft. length x 4 ft. width

Includes overlap and tape for easy installation.

LAMINATE MOISTURE BARRIER UNDERLAYMENT



SKU: UL-MB3
SOUND DAMPENING NOISE GUARD
AND MOISTURE BARRIER

IIC Rating	73
STC Rating	72
Sq. ft. Per Roll	200 sq.ft.
Thickness	3 mm EVA Padding
Warranty	Lifetime Warranty
Water Resistance	Water Resistant/Closed Cell
Roll Weight	18.0 lbs (+/- 3%)
Rolls per Pallet	20 rolls/pallet
Dimensions	55.6 ft. length x 3.7 ft. width

FLOORING ADHESIVE

The Official Adhesive Solution for District™ & FormaLay™

LionsGrip is our firm-set resilient flooring adhesive designed for consistent, efficient installs. It features a transitional pressure-sensitive formula ideal for residential and light commercial environments.



RH
99%



PH
NTR 5-12



MVER
12 lbs



Flash Time
30-60 min*



Working Time
12 hrs



Cure Time
12 hrs



Light Traffic
0 min*



Heavy Traffic
24 hrs

KEY BENEFITS:

- Transitional Pressure Sensitive Adhesive
- Ideal for LVP/LVT, sheet vinyl, and rubber
- One-part system for easy application
- Light Traffic: 0 min (PSA), 12 hrs (Semi-wet-set)
- Ultra-low VOC formula (≤ 11 g/L) for healthier indoor air
- Compliant with stringent indoor air quality standards
- LEED-compatible adhesive for eco-conscious projects
- Budget-conscious solution

*Data reference
PSA usage only

APPLICATION METHOD:

- Spread & set (PSA method)
- Coverage: 150–260 ft² per gallon

APPROVED FLOORING TYPES:

- LVP / LVT (non-porous)
- Sheet Vinyl (heterogeneous/homogeneous)
- Rubber Tile (light commercial)

BEST FOR:

- Standard residential projects
- Light commercial spaces
- Cost-effective flooring jobs

SUBSTRATE TESTING

- RH - 99% [ASTM F2170]
- pH - 5-12 [ASTM F710]
- MVER - 12 lbs [ASTM F1869]



LIONSGRIP™

FIRM-SET RESILIENT FLOORING ADHESIVE

SKU: LI-LionsGrip-4gal | Packaging: 48 buckets per pallet



888-575-9220 | LionsFloor.com

